Sl. No.	Name of the Colony	No. of Cases
37	Prem Nagar	43
38	Kasturba Nagar	194
39	L. R. Complex	3
40	Lodhi Colony	95
41	Aliganj	88
42	Kidwai Nagar (East & West)	79
43	Laxmibai Nagar	121
44	Sarojini Nagar	144
45	Netaji Nagar	224
46	Nouroji Nagar	73
47	Mohammed Pur	2
48	Moti Bagh (including N W Moti Bagh)	231

Complaints Pending with CPWD Enquiry Office at Sriniwaspuri

2902. SHRI RAJ NATH SINGH : Will the Minister of URBAN , DEVELOPMENT be pleased to state :

(a) the number of general complaints such as for painting, repair/change of doors and dismantling of chimneys registered with the CPWD authorities by the residents of Government quarters at Sriniwaspuri, complaint-wise from July, 1994 till date;

(b) whether it is a fact that the complaints are not attended to in the stipulated time ; if so, the number of unattended complaints so far together with the reasons for the delay;

(c) whether requests have been received for glazing/covering of Verandah with the 10% payment in Government quarters at Sriniwaspuri; if so. the number of such requests received, till date; and

(d) whether work on the above requests have started; if not, the reasons for the delay ?

THE MINISTER OF STATE IN THE MINISTRY OF URBAN DEVELOPMENT (SHRT P. K. THUNGON) :

(a) Painting . Nil
Chimney diimatlinii . Nil
Change of doors . 60 No.

(b) No,Sir. General complaints of urgent and minor nature are being attended to as far as possible, on the same day.

(c) Yes, Sir. The total number of requests received so far is 16.

(d) Contract has recently been awarded. Work is likely to' start shortly.

Shortage of Drinking Water in Delhi

2903. SHRI NARESH YADAV: Will the Minister of URBAN DEVELOP MENT be pleased to state :

(a) whether it is a fact that there is shortage of drinking water in Delhi, particularly in Sector 'C BIock-9, Albert Square, New Delhi;

(b) whether Government have received complaints from the residents of the said block;

(c) if so, the details thereof; and

(d) the steps taken by the Government in this regard ?

THE MINISTER OF STATE IN THE MINISTRY OF URBAN DEVELOPMENT (SHRI P. K. THUNGON) : (a) Yes, Sir. There is some shortage of drinking water supply in Delhi including Albert Square.

(b) Yes, Sir.

(c) 7 complaints of non-availability of and 4 complaints of no water in VV.C. were received during November-December, 1994 and all were attended to immediately.

(d) As a long-term measure, work of additional tubcwells, Overhead tank and underground tanks have been started and with their completion, water supply in this area is expected to improve.

Metro-rail for Ahmedabad, Surat and Baroda

2904. SHRI CHIMANBHAI HARI-BHAI SHUKLA: Will the Minister of URBAN DEVELOPMENT be pleased to state :

(a) whether' Government propose to start Ahmcdabad, Surat, Baroda Metro